

INTEROFFICE CORRESPONDENCE

DATE:

April 12, 1994

TO:

Distribution

FROM:

K. D. Anderson/Environmental Operations Management, Bldg. 080, X6979

SUBJECT:

REVIEW OF PROJECT HEALTH AND SAFETY PLAN - KDA-019-94

DOE Order:

5483.1A

The Draft Health and Safety Plan for Operable Unit 2 (OU-2) Soil and Vegetation Sampling for Plutonium Soils Cleanup Treatability Studies, April 1994 prepared by Environmental Science and Engineering. Please review this plan and provide comments on the attached Document Review Sheet. Comments are requested by April 20, 1994. You may fax your comments to extension 8556 and send the original through the mail.

If the subject plan meets all the technical and regulatory requirements which are managed by your respective department, please sign the approval form and return to me by <u>April 20, 1994</u>. Again, you may fax the approval form to extension 8556 and send the originals through the mail.

If you have any questions or concerns, please contact me at the above listed extension.

KDA

Attachment:

As Stated

Distribution

E. A. Christopher

K. E. Dyer

R. C. Gentry

C. A. Scott

P. A. Stephens

cc:

M. C. Broussard\ w/o Attach

S. H. Hollowell w/o Attach

ERM Records Center (2)



DOCUMENT CLASSIFICATION PRYIESS WAIVER PER CLASSIFICATION OFFICE

ADMIN RECERD

BZ-A-000528

Page 1 of 2

REVIEW COMMENT SHEET

Soils	Revalidation	ceptance.	Resolution accepted INIT/DATE					080 Location		6979 Ext.	
for Plutonium		resolution ac						6979 Ext.			
HASP for OU-2 Soil and Vegetation Sampling for Plutonium Soils Cleanup Treatability Studies Title	Validation	y (M) comments require resolution <u>and</u>	RESOLUTION		S C.		Return to:	8556 K. D. Anderson FAX Name	If questions on content, please call the SME:	K. D. Anderson Name	88000-PP-001 and 1-88000-PP-003.
Project No. 989562 6 A 6	Parallel Review Corification	General (G) comments require resolution but do not require resolution acceptance. Mandatory (M) comments require resolution <u>and</u> resolution acceptance. 1-88000-PP-004 provides complete definitions of General and Mandatory comments.	COMMENT	Why use FID, oven't Here data from neent soil sampling projects in the 1#55 of concern. The Onlywe on FID of historical data (ex. from 92.93) shows elevated organics lovels in soil, or of data is monthlying.	Heat stress monitains should comply of ACCIH guidelines or guidance in the NOSH 105HA 1 USCG 18PA reference - applicable	change shift supervisor to shift super- interport.	POC/Reviewer: (Comments not signed by Reviewer/POC will be considered unofficial and not subject to resolution)	 □ No Comments □ This procedure revision has no impact or relevance to our discipline or organization and we waive need to concur. We acknowledge this concurrence waiver does not affect our responsibility to implement the 	Melong C	Name Signature	scordance with 1-88000-PP-004 in
Please review the attached procedure: Comment Due Date: April 20, 1994	Review	ints require re rovides comp	SECTION OR STEP	9.6	ħ°ħ	5,3	ents not signed	ion has no impac ige this concurre	requirements of this procedure when needed. $\angle A$. Ne/a	75 TUS 20	ll be completed t
review the $arepsilon$ ent Due Date	Internal Review	al (G) comme 00-PP-004 pi	A PAGE	the state of the s			viewer: (Comm	☐ No Comments ☐ This procedure revisi concur. We acknowled	requirements of this pro L.A. Nelavet	Name 171 5388/492	nese reviews wi
Please		Genera 1-880(G or M		ε	٤	POC/Revie	a This concur.	requiren $\angle A$.	×547,	NOTE: TH

Rev 6, Draft A, HASP for OU-2 Soil and Vegetation Sampling for Plutonium Soils Cleanup Treatability Studies

Draft

Review comments for document: Project No. 989562 Number

SECTION OR STEP	COMMENT	RESOLUTION	Resolution accepted INIT/DATE
3 3 8 6 9 30 7 6 3 3 3	Decopolained Health requires that employees be fund experied exposure to be anylete Elos done Pathogen training for 296 FR 1910-1030 and HSP 4.19. 75 non-life threatening emergencies call x 24/14. Eafth of losses Noisle shields can't be wen won, and during which will be went would be well to be present of loss of the defail which will be went with a thirt will be something which can't be present of perfect to the present of the total from soil unlike to be present for the thirthway all the defails which contains soil of the total from soil of the search years to the total for the defails and a soil of the search of the sea		
1 -	POC/Reviewer: (Comments not signed by the Reviewer/POC will be considered as unofficial comments)	Resolutions Accepted	
ļ	AMICANOST 4/26/94 Signature Date	Initials	Date

DEPARTMENTAL HEALTH AND SAFETY PLAN REVIEW AND APPROVAL

The following signature documents that this Department of EG&G Rocky Flats, Inc. has review the Project Health and Safety Plan (HASP) and agrees that applicable federal, state, and local regulations and RFP policies and practices have been incorporated.

Health and Safety Plan Title:

Health a	nd Safety I	Plan for	Operable	Unit	2 (OU-2)	Soil	and	Vegetation	Sampling	for	Plutonium	Soils
Cleanup	Treatability	Studies	S									

Industrial Hygiene	Date
Radiological Engineering	Date
Occupational Safety	Date
Radiological Operations	Date
H&S Area Management	Date